COPPELL FIRE DEPARTMENT PHYSICAL ABILITY TEST

PHISICAL ADILITY TEST	Allessables Conset hettle Belle desse to us esta esta
EVENT 4 CTAID CLINAD (2 NAINLITEC AT LEVEL C)	Allowable: Can set kettle Bells down to re-gain grip
EVENT 1 STAIR CLIMB (3 MINUTES AT LEVEL 6)	EVENT E LADDED DAIGE AND EVTENCION
1 st warning (grabbing hand rail or skipping steps)	EVENT 5 LADDER RAISE AND EXTENSION
2 nd warning (grabbing hand rail or skipping steps)	1 st warning (skips rungs during raise, does not use rungs)
FAILURE (Grabbed hand rail or skipped step)	FAILURE (skips rungs during raise, does not use rungs)
FAILURE (Did not complete)	FAILURE (allows ladder to fall during raise)
	FAILURE (does not maintain control of halyard while using hand
COMPLETED	over hand method or rope slips in uncontrolled manner)
EVENT 2 KAISER SLEDGE SWING	EVENT 6 LADDER SHOULDER CARRY
	1 st warning (ladder touches ground)
EVNET 3 HOSE DRAG	FAILURE (ladder touches ground)
1 st warning (grasp hose beyond mark)	FAILURE (does not go around cone)
FAILURE (fails to go around drum or drags hose beyond drum)	FAILURE (cannot put ladder back on rack)
1 st warning (No knee contact with ground)	
FAILURE (No knee contact with ground)	
	EVENT 7 MAZE
Allowable: Carry the nozzle any way possible Walking	FAILURE (cannot complete)
Position one knee or both knees	EVENT 8 RESCUE
	FAILURE (does not go around drum)
	Allowable: Grab dummy in any way
	Drag dummy in any way
	Stops to readjust grip or stance
Candidate Name:	
Address:	MAXIMUM TIME: 10:30
City, State, Zip:	TIME: PASS FAIL
Phone:	PROCTOR:
	CANIDATE SIGNATURE:

EVENT 4 KETTLE BELL CARRY

____ FAILURE (Drops or throws kettle Bells at any time)